


SALTER®

SINCE 1760

Metallics

Polaris 1.7 L Dome Kettle

Practical, stylish design
for everyday use



SALTER®

Polaris 1.7 L Dome Kettle

Practical, stylish design
for everyday use

CONTENTS	PAGE
Safety Instructions	3–5
Boil-dry Sensor	5
Dos and Don'ts	5–6
Care and Maintenance	6
Removing Limescale	7
Getting Started	8
In the Box	8
Features	8
Description of Parts	9
Instructions for Use	9
Before First Use	9
Using the Polaris 1.7 L Dome Kettle	10–11
Storage	11
Specifications	11
Notes	12
Wiring Page	13
Guarantee	14

Please read all of the instructions carefully and retain for future reference.

Safety Instructions

When using electrical appliances, basic safety precautions should always be followed.

Check that the voltage indicated on the rating plate corresponds with that of the local network before connecting the appliance to the mains power supply.

Children aged from 8 years and people with reduced physical, sensory or mental capabilities or lack of experience and knowledge can use this appliance, only if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved.

Children should be supervised to ensure that they do not play with the appliance.

Unless they are older than 8 and supervised, children should not perform cleaning or user maintenance.

This appliance is not a toy.

This appliance contains no user serviceable parts. If the supply cord, plug or any part of the appliance is malfunctioning, or if it has been dropped or damaged, only a qualified electrician should carry out repairs. Improper repairs may place the user at risk of harm.

Keep the appliance and its power supply cord out of the reach of children.

Keep the appliance out of the reach of children when it is switched on or cooling down.

Keep the appliance and its power supply cord away from heat or sharp edges that could cause damage.

Keep the power supply cord away from any parts of the appliance that may become hot during use.

Keep the appliance away from other heat emitting appliances.

Do not allow the power supply cord to hang over worktops, touch hot surfaces or become twisted.

Do not immerse the electrical components of this appliance in water or any other liquid.

Do not operate the appliance with wet hands or if any connections are wet.

Do not expose the appliance to rain.

Do not leave the appliance unattended whilst connected to the mains power supply.

Do not remove the appliance from the mains power supply by pulling the cord; switch it off and remove the plug by hand.

Do not pull or carry the appliance by its power supply cord.

Do not use the appliance if it has been dropped, if there are visible signs of damage or if it is leaking.

Do not use the appliance for anything other than its intended use.

Do not use any accessories other than those supplied.

Do not use any power supply base unit other than the one provided with this appliance.

Do not use this appliance outdoors.

Do not store the appliance in direct sunlight or in high humidity conditions.

Do not move the appliance when it is in use.

Do not fill the appliance above its max. fill mark. Overfilling the appliance may cause boiling water to be ejected.

Do not touch any sections of the appliance that may become hot during use, as this may cause injury.

Always unplug the appliance after use and before any cleaning or user maintenance.

Always ensure that the appliance has cooled fully after use before performing any cleaning or maintenance or storing away.

Always use the appliance on a stable, heat-resistant surface, at a height that is comfortable for the user.

Use of an extension cord with the appliance is not recommended.

This appliance should not be operated by means of an

external timer or separate remote control system.

This appliance is intended for domestic use only. It should not be used for commercial purposes.

The heating element will remain hot after use.

Avoid overfilling as this may lead to spillage on the connector and thereby damage to the appliance.

Misuse of the product could potentially cause injury to the user.

Exercise caution when using this appliance, as steam will be emitted from the spout and/or lid, especially whilst refilling.



Caution: Hot surface – do not touch the hot section or heating components of the appliance.

Warning: Boiling water and steam can cause serious injury; exercise extreme caution when using this appliance.

The appliance will become very hot during use; do not touch the appliance and always take care when handling.

Boil-dry Sensor

The appliance is equipped with a boil-dry sensor. If the appliance is accidentally turned on whilst empty, the boil-dry sensor will activate causing the power to switch off.

The appliance will then remain inactive and the power switch will not function for several minutes until the appliance is cool.

Do not try to use the appliance during this time; once it has cooled down, it will resume its normal function.

Dos and Don'ts

Do

Use the kettle with the base provided.

Check that the removable lid is attached securely before switching on the kettle; failure to do so could result in the kettle not switching off correctly and may cause boiling water and steam to escape.

Wait for the kettle to stop boiling vigorously before lifting

and pouring.

Wait for the kettle to cool thoroughly before opening or touching the removable lid.

Don't

Allow electrical connections to get wet, or use the kettle when the connections are wet.

Touch the body when the kettle is in use.

Use the kettle if the water level exceeds the max. fill mark.

Use the kettle if the water level is less than the min. fill mark.

Put any liquid other than water into the kettle.

Overfill the kettle, as this may cause boiling water to spill out from the spout.

Open the pull-top lid when the kettle is in use.

Hold the power switch down in the 'on' position when the kettle is boiling.

Care and Maintenance

Before attempting any cleaning or maintenance, unplug the kettle from the mains power supply and allow it to cool fully.

STEP 1: Wipe the kettle and base with a soft, damp cloth and allow to dry thoroughly.

Do not immerse the kettle base in water or any other liquid.

Never use harsh or abrasive cleaning detergents or scourers to clean the kettle base, as this could cause damage.

STEP 2: If there is any solid residue on the inside of the kettle, carefully remove this with a damp cloth or brush.

Removing Limescale

Limescale can develop over time and may affect the performance and lifespan of the kettle. It is recommended to descale the kettle regularly, at least once every three months, especially if the kettle is used in a hard water area. Frequent descaling will improve the performance and lifespan of the kettle.

STEP 1: Fill the kettle to the max. fill mark with cold water.

STEP 2: Add a commercial descaling agent to the kettle, adhering to the manufacturer's instructions. It is not recommended to use vinegar to descale the kettle.

STEP 3: Allow the kettle to boil, switch it off and leave to soak for at least 20 minutes or for the length of time specified on the descaling product.

STEP 4: Empty the kettle and refill to the max. fill mark with clean water. Boil the kettle once more and pour the water away after it has cooled. The kettle should now be descaled.

If the kettle switches off before it has boiled or a white deposit is noticed on the inside of the kettle, it needs to be descaled.

Getting Started

Remove the appliance from the box.

Remove any packaging from the appliance.

Place the packaging inside the box and either store or dispose of safely.

In the Box

Polaris 1.7 L Dome Kettle

Power base

AC power cord

Instruction manual

Features

3 kW rapid boil

1.7 L capacity

360 ° swivel base

2 observation windows with water level indicators

Offter controller

Cordless design

Boil-dry sensor with auto shut-off

Removable and washable limescale filter

Description of Parts



- | | |
|------------------------------|---------------------------|
| 1. Polaris 1.7 L Dome Kettle | 5. Max. fill mark (1.7 L) |
| 2. Power base | 6. Water fill gauge |
| 3. Power switch | 7. Removable lid |
| 4. Handle | 8. Spout |

Instructions for Use

Before First Use

Before using the kettle for the first time, wipe it clean with a soft, damp cloth and dry thoroughly.

Do not immerse the kettle in water or any other liquid.

Check that the limescale filter is attached.

Fill the kettle to the max. fill mark and boil the water, following the instructions in the section entitled 'Using the Polaris 1.7 L Dome Kettle'. After the water has boiled, pour it away, refill and boil again. If any slight taste or odour remains in the boiled water, repeat this process.

Note: When using the kettle for the first time, a slight odour may be emitted. This is normal and will soon subside.

Allow for sufficient ventilation around the kettle.

Warning: The kettle and any accessories are not suitable for dishwasher use.

Using the Polaris 1.7 L Dome Kettle

STEP 1: Position the power base onto a flat, stable, heat-resistant surface at a height that is comfortable for the user.

STEP 2: Remove the kettle from the power base.

STEP 3: Pull the removable lid by the tab to open the kettle.

STEP 4: Fill the kettle to the desired water level, using the water fill gauge as a guide. The water level must be between the min. fill mark and the max. fill mark.

STEP 5: Replace the removable lid until it clicks securely into place and then position the kettle back onto the power base.

STEP 6: Plug in and switch on the kettle at the mains power supply.

STEP 7: Push the power switch to the 'on' position until it clicks; it will illuminate to signal that the kettle is on. Do not touch the body of the kettle during use.

STEP 8: Once the kettle has boiled, the power switch will automatically flip back into the off position.

STEP 9: Once the water has stopped boiling vigorously, lift the kettle by the handle and pour out the desired amount of water from the spout. Do not pour the water too quickly, as this may cause it to trickle down the side of the kettle.

Caution: Allow the kettle to cool thoroughly before touching or opening the removable lid.

Do not use the kettle if the base or any of the electrical connectors are wet. Do not attempt to dry these whilst the kettle is plugged in.

If the power switch will not stay clicked into the on position, do not force it to stay down. This may cause excess steam to escape from the removable lid, damage to the automatic shut-off mechanism or injury to the user.

The body and lid of the kettle get very hot during use.

Do not touch any part of the kettle except the handle whilst it is in use or filled with hot water.

To avoid spilling water or user injury, wait for vigorous boiling to subside before lifting the kettle or pouring water.

Warning: The removable lid may drip hot water if removed shortly after boiling – allow the kettle to cool before opening the removable lid.

Storage

The kettle must be cool, clean and dry before storing in a cool, dry place. Never wrap the cord tightly around the kettle; wrap it loosely to avoid causing damage.

Specifications

Product code: EK3218CHAMPAGNE

Input: 220–240 V ~ 50–60 Hz

Output: 2500–3000 W

Notes

Connection To The Mains

Please check that the voltage indicated on the product corresponds with your supply voltage.

Important

As the colours in the mains lead of this appliance may not correspond with the coloured markings identifying the terminals in your plug, please proceed as follows:

The wires in the mains lead are coloured in accordance with the following code:

Blue Neutral (N)

Brown Live (L)

Green/Yellow Earth ($\perp$)

FOR UK USE ONLY - Plug fitting details
(where applicable).

The wire coloured **BLUE** is the **NEUTRAL** and must be connected to the terminal marked **N** or coloured **BLACK**.

The wire coloured **BROWN** is the **LIVE** wire and must be connected to the terminal marked **L** or coloured **RED**.


The wire coloured **GREEN/YELLOW** must be connected to the terminal marked with the letter **E** or marked $\perp$.

On no account must either the **BROWN** or the **BLUE** wire be connected to the **EARTH** terminal ($\perp$).

Always ensure that the cord grip is fastened correctly.

The plug must be fitted with a fuse of the same rating already fitted and conforming to BS 1362 and be ASTA approved.

If in doubt, consult a qualified electrician who will be pleased to do this for you.



Non-Rewireable Mains Plug

If your appliance is supplied with a non-rewireable plug fitted to the mains lead and should the fuse need replacing, you must use an ASTA approved one (conforming to BS 1362 of the same rating).

If in doubt, consult a qualified electrician who will be pleased to do this for you.

If you need to remove the plug, **DISCONNECT IT FROM THE MAINS**, then cut it off the mains lead and immediately dispose of it safely. Never attempt to reuse the plug or insert it into a socket outlet as there is a danger of an electric shock.

**UP Global Sourcing UK Ltd.,
Victoria Street, Manchester OL9 0DD. UK.**

If this product does not reach you in an acceptable condition please contact our Customer Services Department by one of the following methods:

Telephone: 0161 934 2240*

*Telephone lines are open Monday–Friday, 9 am–5 pm (Closed Bank Holidays)

Email: customercare@upgs.com

Fax: 0161 628 2126

Please have your delivery note to hand as details from it will be required.

If you wish to return this product, please return it to the retailer from where it was purchased with your receipt (subject to their terms and conditions).

Guarantee

All products purchased as new carry a manufacturer's guarantee; the time period of the guarantee will vary dependent upon the product. Where reasonable proof of purchase can be provided, Salter will provide a standard 12 month guarantee with the retailer from the date of purchase. This is only applicable when products have been used as instructed for their intended, domestic use. Any misuse or dismantling of products will invalidate any guarantee.

Under the guarantee, we undertake to repair or replace free of any charge any parts found to be defective. In the event that we cannot provide an exact replacement, a similar product will be offered or the cost refunded. Any damages from daily wear and tear are not covered by this guarantee, nor are consumables such as plugs, fuses etc.

Please note that the above terms and conditions may be updated from time to time and we therefore recommend that you check these each time you revisit the website.

Nothing in this guarantee or in the instructions relating to this product excludes, restricts or otherwise affects your statutory rights.

The crossed out wheelie bin symbol on this item indicates that this appliance needs to be disposed of in an environmentally friendly way when it becomes of no further use or has worn out. Contact your local authority for details of where to take the item for recycling.



3
YEAR

GUARANTEE*

*To be eligible for the extended guarantee, go to www.saltercookshop.com and register your product within 30 days of purchase.



Find us on 

www.facebook.com/SalterCookshop



Manufactured by:

UP Global Sourcing UK Ltd.,
Victoria Street,
Manchester OL9 0DD. UK.

Made in China.



SALTER®

CD081118/MD080219/V1